



STANDING ELECTRIC HEIGHT ADJUSTABLE DESK

BBS35TS-R12S-KS

# BBS35TS-R12S-KS

## Standing Electric Height Adjustable Desk

### Features

- **Adjustable Height Range:** 700-1200mm
- **Frame Extendable Range:** 1080-1800mm to fit desk
- **Foot Size:** 80x680mm
- No hole leg design, no screw on the outside of frame
- Anti-collision safety protection
- **Load Capacity:** 1250N
- **Max Speed:** 40mm/s
- **Low Noise Level:** 50dB with no-load condition
- **Low Standby Power:** 0.1W ultra-low standby power consumption.
- **Surface:** Powder coating with standard colors;  
White(RAL9016), Grey(RAL9006), Black(RAL9005)

**Stock Code:** [BBS35TS-R12S-KS-WHITE](#)  
[BBS35TS-R12S-KS-GREY](#)  
[BBS35TS-R12S-KS-BLACK](#)



### Usage

- Duty cycle: 10 %, Max. 2 minutes operation/Min. 18minutes rest of continuous use at full load
- Working environment: Indoor
- Storage and transport temperature: -10°C ~ 70°C

### BBSHT35K9 (Hand Control)

- Up/down drive
  - 4 Memory buttons
  - USB Changer
  - LED displays actual height
  - Color: Black
  - Wire length: 2000mm with 8-pin crystal plug
- BBSHT35K9 is a handset with modern design and combines classic appearance for intuitive practical use.

It has a LED display for height read-out in either cm or inches. The display switches off when not in use for about 10 seconds thereby saving power in standby mode. BBSHT35K9 handset has four memory buttons so that it can clearly set the different heights you like.

### BBS36NE2AP (Control Box)

BBS36NE2AP control box is an optimum choice for double motor system. Together with BIBUS new software, it can achieve the function of setting height limits, locking desk, changing anti-collision sensitivity and etc. Furthermore, it is designed with slot, so the control box can either fixed under the desktop by screws or fixed on the frame by slot. BBS36NE2AP is also compatible with all the BIBUS lifting columns. The control box ensures smooth drive of the desk and softstart & soft-stop of the connected columns. It has anti-collision function to protect objects from the damage of accident collision during working.

### Package Included



BBS35TS-R12S-KS



BBS36NE2AP



BBSHT35K9

**1. Package Size:**  
Columns, Control Box, Handset  
33x75x15 cm (14.75 kg)




**2. Package Size:**  
Metal Frame  
38x107x13 cm (16,25 kg)

### Optional



BBS35N-BLT

### Dimensions





**BIBUS ENDÜSTRİYEL A.Ş.**

İkitelli OSB Bedrettin Dalan Bulvarı Vip Plaza  
Kat:2 No:43 Başakşehir/İstanbul

Tel. 444 20 38

Fax 0212 249 88 34

info@bibus.com.tr

www.bibus.com.tr

